

| | |
|--|--|
| Section 34 T09N-R01W Bloomington | Section 35 T09N-R01W Bloomington |
| Section 03 T08N-R01W Perry | Section 02 T08N-R01W Perry |

WITNESS MONUMENT TIES

| ID | BEARING | DISTANCE | DESCRIPTION |
|-----------|---------|----------|--|
| Witness A | N 7d E | 43.1' | Southwest corner of Travel Lodge Building (2613 E 3rd Street) |
| Witness B | N 43d E | 48.4' | MCSO "Protect Nearby SURVEY MARKER" sign found 4.3' above grade on the south side of 8" Duke utility pole #MNI3973 |
| Witness C | N 56d E | 79.1' | Southeast corner (face of front window) of Travel Lodge Building (2613 E 3rd Street) |

MONUMENT ACCESSORIES

Other survey monuments that were located in the vicinity and their relation to the monument. Geodetic coordinates in this table are provided in the format Easting, Northing.

| | | | |
|----------|---------------|---------|---|
| (#10175) | S 89d4'38" E | 185.25' | 3118353.83, 1426803.86 Mag nail found flush at the Section Corner common to Sections 02 and 03-T08N-R01W, Perry Township |
| (#10183) | S 59d20'10" W | 87.58' | 3118093.28, 1426762.18 Cut + found in sidewalk west of the Chase Bank entrance, 1.65' north of the south side of E/W 5' sidewalk and 0.2' west of the west side of 4.5' N/S sidewalk |
| (#10185) | S 3d55'22" E | 35.77' | 3118171.06, 1426771.16 Cut + in southeast back of curb corner of curb inlet |
| (#10207) | N 59d16'28" E | 59.17' | 3118219.47, 1426837.07 Cut + in northwest back of curb corner of curb inlet in front of the Travel Lodge building |
| (#10212) | N 42d22'53" W | 33.93' | 3118145.74, 1426831.90 Cut + in northwest back of curb corner of curb inlet |

NOTES:


- Field work was performed on 09/25/2018 and 09/26/2018.
- Monroe County Surveyor's Field Book 52, pages 46 & 49.
- Project Name: Indot Network 2018, Field work by: RSO, CAR & CA, Drawn by: RSO, Reviewed by: RSO, TER & SRB.
- The basis of bearings is Grid North NAD83(2011), Indiana West Zone, Epoch 2010.0000, Geoid Model G2012BU7, Datum NAD83_NO_TRANS, US Survey Feet, derived from GPS observations utilizing the Indiana Real-Time Network (INCORS). Distances obtained with GPS have not been adjusted to ground. Coordinate data and witness ties were collected with a Javad Triumph LS Network Rover.
- Vicinity sketch was compiled per 2014 aerial photography.
- This monument was officially entered into the Monument Record on December 13, 1990, at which time it was a pk nail. There was also a mag nail 21.72 feet southeast of the pk nail, which was accepted by several surveyors. The mag nail shown hereon was set per the 1990 ties by Bernie Guerrettaz in 2013 after resurfacing destroyed the pk nail, as shown on his ALTA survey recorded in Survey Cabinet 2, envelope 65. We collected coordinates on the known monument in preparation for an upcoming INDOT resurfacing project in the area. Historic research has not yet been performed to prove the validity of this monument.

▲ **Monument Description:** MAG nail in washer stamped "BRG PC50920004" found flush

State Plane Grid Coordinates: Point No.: 10177 Northing: 1426806.84', Easting: 3118168.61'

| | | | |
|-----------------------|--|---|--|
| SHEET 1 OF 2 | MONUMENT RECORD CORNER ID: Blm_Q25 | Section Corner Section 34 & 35- T09N-R01W Bloomington Township Monroe County, Indiana |  OFFICE OF THE MONROE COUNTY SURVEYOR Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570 |
|-----------------------|--|---|--|

Photos were taken on 09/25/2018 with an iPhone 6s



Trohn Enright-Randolph
Trohn Enright-Randolph
Monroe County Surveyor



Accepted by the Monroe
County Surveyor Review Board
on 12/06/2018



Rachel Oser
Rachel Savich Oser, State of Indiana
Professional Surveyor No. 21100022

SHEET
2
OF
2

MONUMENT RECORD
CORNER ID:
Blm_Q25

Section Corner
Section 34 & 35- T09N-R01W
Bloomington Township
Monroe County, Indiana



OFFICE OF THE MONROE COUNTY SURVEYOR
Trohn Enright-Randolph Monroe County Surveyor
Rachel Savich Oser Professional Surveyor
119 West 7th Street, Bloomington, IN 47404 (812) 349-2570

MONUMENT RECORD

STATE OF INDIANA - COUNTY OF MONROE

SECTION 34, TOWNSHIP 9 N, RANGE 1 W

MONUMENT DESCRIPTION & REMARKS

FOUND MASONARY NAIL REPLACED WITH P.K.

RECOVERY TIE DRAWING

TRAVEL LODGE BUILDING

P.K. EAST SIDE
POWER POLE

POWER POLE

FIND MASONARY NAIL
REPLACED WITH P.K.N 57° E
79.0EAST 3rd STREET

(●) AT CORNER



NOT TO SCALE

STATE OF INDIANA

COUNTY OF MONROE

I, EDMUND O. FARKAS HEREBY CERTIFY THAT THIS DOCUMENT WAS PREPARED UNDER MY DIRECTION IN ACCORDANCE WITH THE PROVISIONS OF SECTION 17-3-64-4 - 17-3-64-8 OF THE INDIANA CODE, BEING ACTS OF 1965, CHAPTER 319; AND THE ABOVE DATA IS GIVEN UNDER MY HAND AND SEAL THIS 13 TH DAY OF DECEMBER, 19 90 A.D.

SPACE
RESERVED
FOR
RECORDING
OFFICER.

INDIANA REGISTERED LAND SURVEYOR NO. _____

OR _____

UNITED STATES GOVERNMENT AGENCY

TOWNSHIP:
BLOOMINGTON

CORNER I.D.

TITLE

Q-25

MONUMENT RECORD
State of Indiana - County of Monroe

Section: 34

Township: 9 North

Range: 1 West

Corner ID: Blm Q-25

Monument Description & Remarks: MAG nail in East Third Street. Survey Sign 5ft above ground at point C


References On File: Evan J. Evans survey, East Third Street (1995), on file in Recorder Office cabinet S envelope 13/14

RECOVERY TIE DRAWING

Field Book 46 Page No. 41



34



A - MAG nail

B - N 14°W 45.66' to MAG nail in 16" power line pole

C - N 27°E 43.81' to MAG nail in 12" power line pole

D - N 70°E 103.10' to Survey Sign on 14" power line pole

E - S 85°E 168.84' to 1" Steel Road in East Third Street

Not To Scale
Compass Bearing Magnetic North

I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 15th day of August, 2012

DRAFT

Administered by the Monroe County Surveyor Review Board

MONUMENT RECORD
State of Indiana - County of Monroe

Tabled by S.R.B. June 2008

Section: 35

Township: 9 North




Range: 1 West

Corner ID: Blm Q-25

Monument Description & Remarks: MAG nail. Survey Sign 5ft above ground at pt. B

References On File: Evan J. Evans survey, Emro Marketing Company (1995) cabinet S envelope 13/14, and Philip O. Tapp survey, Cedarwood Development (2001) cabinet S envelope 191/192, on file in Recorder Office. Eric L. Deckard survey, Third St. Subdivision Final Plat (2003), on file in Auditor

RECOVERY TIE DRAWING
Field Book 32 Page No. 60



A - MAG nail

B - N 21° W 44.21' to PK nail in 11" power line pole

C - N 49° E 47.77' to "X" in pole flange bolt base

D - S 22° E 46.02' to "X" in sidewalk

E - N 22° E 21.72' to PK nail in East 3rd Street

Not To Scale
Compass Bearing Magnetic North

I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 5th day of June, 2000.

DRAFT

Administered by the Monroe County Surveyor Review Board

Date: _____